

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Mixture identification:

Trade name: SANIBIOS 12% Ag+

Trade code: 2010.34 – 2020.34 – 2030.34

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Recommended use: hydrogen peroxide-based Hygiene Cleansing Product for environments at risk of microbial contamination and surfaces. The product clean and hygienize environments and surfaces. Professional use only.  
Uses advised against: all except those recommended.

**1.3. Details of the supplier of the safety data sheet**

Company:

AMIL CARE ITALIA Srl

Via Garibaldi, 15/17

22070 Carbonate (CO)

Tel./Fax. 0331 026338

Sito web: www.amil-care.com

E-mail: info@amilcareitalia.com

C.F. E P.IVA: 03514310121

Competent person responsible for the safety data sheet: info@amilcareitalia.com

**1.4. Emergency telephone number**

CAV "Osp. Pediatrico Bambino Gesù", Roma, 06 68593726

Az. Osp. Univ. Foggia, Foggia, 800183459

Az. Osp. "A. Cardarelli", Napoli, 081 7472901

CAV Policlinico "Umberto I", Roma, 06-49978000

CAV Policlinico "A. Gemelli", Roma, 06-3054343

Az. Osp. "Careggi", Firenze, 055-7947819

CAV Centro Nazionale di Informazione Tossicologica, Pavia, 0382-24444

Osp. Niguarda Ca' Granda, Milano, 02-66101029

Azienda Ospedaliera Papa Giovanni XXII, Bergamo, 800883300

Azienda Ospedaliera Integrata Verona, 800011858

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****REGULATION (EC) No 1272/2008 (CLP):**

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Eye Dam. 1: Serious eye damage, Category, H318

**2.2. Label elements****REGULATION (EC) No 1272/2008 (CLP):**

Danger

**Hazard statements:**

Eye Dam. 1: H318 – Causes serious eye damage.

**Precautionary statements:**

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

**Substances contributing to the classificatio:**

hydrogen peroxide solution (CAS: 7722-84-1)

UFI: UV00-00JP-Y006-9FKN

**2.3. Other hazards**

Product fails to meet PBT/vPvB criteria

# SANIBIOS 12% Ag+

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Non-applicable

### 3.2. Mixtures

**Chemical description:** Aqueous mixture composed of hydrogen peroxide

**Components:**

In accordance with Annex II of Regulation (EC) n°1907/2006 (point 3), the product contains:

Identification	Chemical name/Classification		ATP CLP00	Conc.
CAS: 7722-84-1 EC: 231-765-0 Index: 008-003-00-9 REACH: 01-2119485845-22-XXXX	<b>hydrogen peroxide solution<sup>(1)</sup></b>			12%
	Regulation (EC) No 1272/2008	Acute Tox. 4: H302+H332; Ox. Liq. 1: H271; Skin Corr. 1A: H314 - Danger		
CAS: 10294-26-5 EC: 233-653-7 Index: Non applicabile REACH: 01-2119918297-31-XXXX	<b>Silver sulfate<sup>(2)</sup></b>		Self-classified	<0,01 %
	Regulation (EC) No 1272/2008	Eye Dam. 1: H318 - Danger		

<sup>(1)</sup> Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

<sup>(2)</sup> Substance with a occupational exposure limit set at Union level

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

**Other information:**

Identification	M-factor	
Silver sulfate CAS: 10294-26-5      EC: 233-653-7	Acute	1
	Chronic	100

Identification	Specific concentration limit
hydrogen peroxide solution CAS: 7722-84-1 EC: 231-765-0	% (p/p) >=70: Ox. Liq. 1 - H271 50<= % (p/p) <70: Ox. Liq. 2 - H272 % (p/p) >=70: Skin Corr. 1A - H314 50<= % (p/p) <70: Skin Corr. 1B - H314 35<= % (p/p) <50: Skin Irrit. 2 - H315 % (p/p) >=8: Eye Dam. 1 - H318 5<= % (p/p) <8: Eye Irrit. 2 - H319 % (p/p) >=35: STOT SE 3 - H335

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

**By inhalation:**

This product is not classified as hazardous through inhalation, however, it is recommended in case of intoxication symptoms to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

**By skin contact:**

This product is not classified as hazardous when in contact with the skin. However, in case of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or shower the person affected if necessary thoroughly with cold water and neutral soap. In case of serious reaction consult a doctor.

**By eye contact:**

Rinse eyes thoroughly with water for at least 15 minutes. Do not let the person involved rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, as this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

**By ingestion/aspiration:**

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

### 4.2. Most important symptoms/effects, acute and delayed

Acute and delayed effects are indicated in sections 2 and 11.

### 4.3. Indication of immediate medical attention and special treatment needed, if necessary

Not applicable

---

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. Preferably use water.

Unsuitable extinguishing media:

Chemical or foam extinguishers

### 5.2. Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

### 5.3. Advice for firefighters

Depending on the magnitude of the fire it may be necessary to use full protective clothing and individual respiratory equipment. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in compliance with Directive 89/654 / EC.

#### Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Destroy any source of ignition. In case of fire, refrigerate the storage containers and tanks for products susceptible to inflammation, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

---

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

### 6.2. Environmental precautions

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

### 6.3. Methods and material for containment and cleaning up

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13

### 6.4. Reference to other sections

See also section 8 and 13

---

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

A- Precautions for safe manipulation

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B- Technical recommendations for the prevention of fires and explosions

It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C- Technical recommendations to prevent ergonomic and toxicological risks.

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3).

### 7.2. Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Store in a cool, dry, well-ventilated location.

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5.

### 7.3. Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product

# SANIBIOS 12% Ag+

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Substances whose occupational exposure limits have to be monitored in the workplace:  
Legislative Decree 81/2008 and subsequent amendments and additions:

Identification	Environmental limit values	
	Silver sulfate CAS: 10294-26-5 EC: 233-653-7	VL (8 hour)
	VL (Short term)	

#### DNEL (Workers):

Identification		Short exposure		Long exposure	
		Systemic	Local	Systemic	Local
hydrogen peroxide solution CAS: 7722-84-1 EC: 231-765-0	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Inhalation	Non-applicable	3 mg/m <sup>3</sup>	Non-applicable	1,4 mg/m <sup>3</sup>

#### DNEL (Population):

Identification		Short exposure		Long exposure	
		Systemic	Local	Systemic	Local
hydrogen peroxide solution CAS: 7722-84-1 EC: 231-765-0	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Inhalation	Non-applicable	1,93 mg/m <sup>3</sup>	Non-applicable	0,21 mg/m <sup>3</sup>

#### PNEC:

Identification		Short exposure		Long exposure	
		Systemic	Local	Systemic	Local
hydrogen peroxide solution CAS: 7722-84-1 EC: 231-765-0	STP	4,66 mg/L	Fresh water		0,013 mg/L
	Soil	0,002 mg/kg	Marine water		0,013 mg/L
	Intermittent	0,014 mg/L	Sediment (Fresh water)		0,047 mg/kg
	Oral	Non-applicable	Sediment (Marine water)		0,047 mg/kg
Silver sulfate CAS: 10294-26-5 EC: 233-653-7	STP	0,025 mg/L	Fresh water		0,00004 mg/L
	Soil	0,794 mg/kg	Marine water		0,00086 mg/L
	Intermittent	Non-applicable	Sediment (Fresh water)		438,13 mg/kg
	Oral	Non-applicable	Sediment (Marine water)		438,13 mg/kg

### 8.2. Exposure controls

#### A.- General security and hygiene measures in the work place

As a preventative measure it is recommended to use basic Personal Protection Equipment, with the corresponding "CE marking". For more information on Personal Protection Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. The indications contained in this point refer to the pure product. The protective measures for the diluted product may vary depending on its degree of dilution, use, method of application, etc. To determine the obligation to install emergency showers and / or eye drops in warehouses, the legislation relating to the storage of chemical products applicable to each case will be taken into consideration. For more information see subsection 7.1 and 7.2



#### B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.



#### C.- Specific protection for the hands

Non-applicable

#### D.- Ocular and facial protection



Pictogram	PPE	Labelling	CEN Standard	Remarks
 Mandatory face protection	Face shield		EN 166:2002 EN 167:2002 EN 168:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions.

#### E.- Bodily protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing			Replace at any sign of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529: 2013, EN ISO 6530: 2005, EN ISO 13688: 2013, EN 464: 1994
	Anti-slip work shoes		EN ISO 20347:2012	Replace at any sign of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2012 and EN 13832-1:2007

# SANIBIOS 12% Ag+

## F.- Additional emergency measures

Emergency measure	Standards	Emergency measure	Standards
 Emergency shower	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	 Eyewash stations	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011

### Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

### Volatil organic compounds:

With regard to Directive 2010/75/EU , this product has the following characteristics:

V.O.C. (Supply):	6 % weight
V.O.C. density at 20 °C:	61,14 kg/m <sup>3</sup> (61,14 g/L)
Average carbon numbe:	Non-applicable
Average molecular weight:	34,01 g/mol

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties:

#### Apperance:

Physical state at 20 °C:

Liquid

Apperance:

Not available

Color:

Silver

Odor:

Odorless

Odour threshold:

Non-applicable \*

#### Volatility:

Boiling point at atmospheric pressure:

104 °C

Vapour pressure at 20 °C:

2204 Pa

Vapour pressure at 50 °C:

11636,83 Pa (11,64 kPa)

Evaporation rate at 20 °C:

Non-applicable \*

#### Product description:

Density at 20 °C:

1035 kg/m<sup>3</sup>

Relative density at 20 °C:

1,02

Dynamic viscosity at 20 °C:

1,035 cP

Kinematic viscosity at 20 °C:

0,96 cSt

Kinematic viscosity at 40 °C:

Non-applicable \*

Concentration:

Non-applicable \*

pH:

3,7 - 4,7

Vapour density at 20 °C:

Non-applicable \*

Partition coefficient n-octanol/water 20 °C:

Non-applicable \*

Solubility in water at 20 °C:

Solubility properties:

Soluble in water

Decomposition temperature:

Non-applicable \*

Melting point/freezing point:

Non-applicable \*

Explosive properties:

Non-applicable \*

Oxidising properties:

Non-applicable \*

#### Flammability:

Flash Point:

Non Flammable (>60 °C)

Heat of combustion:

Non-applicable \*

Flammability (solid, gas):

Non-applicable \*

Autoignition temperature:

Non-applicable \*

Lower flammability limit:

Non-applicable \*

Upper flammability limit:

Non-applicable \*

#### Explosive:

Lower explosive limit

Non-applicable \*

Upper explosive limit:

Non-applicable \*

# SANIBIOS 12% Ag+

## 9.2. Other information

Surface tension at 20 °C:

Non-applicable \*

Refraction index:

Non-applicable \*

\*Not relevant due to the nature of the product, not providing information property of its hazards.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No hazardous reactions are expected if the following technical instructions storage of chemicals. See section 7.

### 10.2. Chemical stability

Chemically stable under the conditions of storage, handling and use.

### 10.3. Possibility of hazardous reactions

Under the conditions no hazardous reactions are expected to produce a pressure or excessive temperatures

### 10.4. Conditions to avoid

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

### 10.5. Incompatible materials

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Precaution	Precaution	Avoid alkalis or strong bases

### 10.6. Hazardous decomposition products

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO<sub>2</sub>), carbon monoxide and other organic compounds

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

The experimental information related to the toxicological properties of the product itself is not available

#### Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than recommended by the occupational exposure limits, it may result in adverse effects on health depending on the means of exposure:

#### A- Ingestion (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3

- Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as dangerous for this effect. For more information see section 3.

#### B- Inhalation (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous for inhalation. For more information see section 3.

- Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as dangerous for this effect. For more information see section 3

#### C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous for skin contact. For more information see section 3.

- Contact with the eyes: Produces eye damage after contact.

#### D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see section 3..

IARC: hydrogen peroxide solution (3)

- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

#### E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensitising effects. For more information see section 3.

- Cutaneous: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

# SANIBIOS 12% Ag+

## F- Specific target organ toxicity (STOT) - single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

## G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3. - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

## H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

## Other information:

Non-applicable

## Specific toxicology information on the substances:

Identification	Acute toxicity		Genus
hydrogen peroxide solution CAS: 7722-84-1 EC: 231-765-0	DL50 oral	500 mg/kg (ATEi)	
	DL50 dermal	Non-applicable	
	CL50 inhalation	11 mg/L (4 h) (ATEi)	

## Acute Toxicity Estimate (ATE mix):

ATE mix		Ingredient(s) of unknown toxicity
Oral	4166,67 mg/kg (Calculation method)	0 %
Dermal	>2000 mg/kg (Calculation method)	Non-applicable
Inhalation	91,67 mg/L (4 h) (Calculation method)	0 %

## SECTION 12: Ecological information

### 12.1. Toxicity

Identification	Acute toxicity		Species	Genus
hydrogen peroxide solution CAS: 7722-84-1 EC: 231-765-0	CL50	16,4 mg/L (96 h)	Pimephales promelas	Fish
	EC50	7,7 mg/L (24 h)	Daphnia magna	Crustacean
	EC50	2,5 mg/L (72 h)	Chlorella vulgaris	Alga

### 12.2. Persistence and degradability

Not available

### 12.3. Bioaccumulative potential

Identification	Bioaccumulation potential	
Silver sulfate CAS: 10294-26-5 EC: 233-653-7	BCF	70
	Log POW	
	Potential	Moderate

### 12.4. Mobility in soil

Not available

### 12.5. Results of PBT and vPvB assessment

Product fails to meet PBT/vPvB criteria

### 12.6. Other adverse effects

Not described

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Type of waste (Regulation (EU) No 1357/2014):

HP8 Corrosive

#### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC, Legislative Decree 205/2010). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See paragraph 6.2.

#### Regulations related to waste management:

In accordance with Annex II of Regulation (EC) n°1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/UE, Regulation (EC) n°. 1357/2014

National legislation: Legislative Decree 205/2010



# SANIBIOS 12% Ag+

## SECTION 14: Transport information

### Transport of dangerous goods by land:

With regard to ADR 2021 and RID 2021:



<b>14.1 UN number:</b>	UN2984
<b>14.2 UN proper shipping name:</b>	HYDROGEN PEROXIDE, AQUEOUS SOLUTION with not less than 8% but less than 20% hydrogen peroxide (stabilized as necessary)
<b>14.3 Transport hazard class(es):</b>	5.1
Labels:	5.1
<b>14.4 Packing group:</b>	III
<b>14.5 Environmental hazards:</b>	No
<b>14.6 Special precautions for user:</b>	
Special regulations:	65
Tunnel restriction code:	E
Physico-Chemical properties:	see section 9
LQ:	5 L
<b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code:</b>	Non-applicable

### Transport of dangerous goods by sea:

With regard to IMDG 39-18:



<b>14.1 UN number:</b>	UN2984
<b>14.2 UN proper shipping name:</b>	HYDROGEN PEROXIDE, AQUEOUS SOLUTION with not less than 8% but less than 20% hydrogen peroxide (stabilized as necessary)
<b>14.3 Transport hazard class(es):</b>	5.1
Labels:	5.1
<b>14.4 Packing group:</b>	III
<b>14.5 Environmental hazards:</b>	No
<b>14.6 Special precautions for user:</b>	
Special regulations:	65
Tunnel restriction code:	E
Physico-Chemical properties:	see section 9
LQ:	5 L
Segregation group:	Non-applicable
<b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code:</b>	Non-applicable

### Transport of dangerous goods by air:

With regard to IATA/ICAO 2021:



<b>14.1 UN number:</b>	UN2984
<b>14.2 UN proper shipping name:</b>	HYDROGEN PEROXIDE, AQUEOUS SOLUTION with not less than 8% but less than 20% hydrogen peroxide (stabilized as necessary)
<b>14.3 Transport hazard class(es):</b>	5.1
Labels:	5.1
<b>14.4 Packing group:</b>	III
<b>14.5 Environmental hazards:</b>	No
<b>14.6 Special precautions for user:</b>	
Physico-Chemical properties:	see section 9
<b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code:</b>	Non-applicable



## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Composition of the active ingredients (REGULATION (EU) n. 528/2012): hydrogen peroxide solution (12%)

Candidate substances for authorisation under the Regulation (EC) 1907/2006 (REACH Non-applicable)

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: hydrogen peroxide solution (Product type 1, 2, 3, 4, 5, 6, 11, 12)

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Substances in nanoform: Non-applicable

Seveso III: Non-applicable

**Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII, REACH, etc...):**

Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

- tricks and jokes,

- games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Regulation (EU) 2019/1148 on the placing on the market and use of explosives precursors: Contains hydrogen peroxide solution in quantities greater than 12% by weight. These must not be made available, introduced, held or used by individuals, unless their concentrations are below specific limits. Produced in accordance with article 9

Regulation (EC) 2019/1148 on the marketing and use of explosives precursors: Contains hydrogen peroxide solution. Product in accordance with article 9.

**Specific provisions in terms of protecting people or the environment:**

It is recommended to use the information included in this safety data sheet as data used in a risk evaluation of the local circumstances in order to establish the necessary risk prevention measures for the manipulation, use, storage and disposal of this product.

**Other legislation:**

Legislative Decree No 205/2010: laying down provisions for the implementation of Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste and repealing certain Directives.

Legislative Decree 126/1998: Regulation containing rules for the implementation of directive 94/9 / EC on equipment and protection systems intended for use in potentially explosive atmospheres

Legislative Decree 233/2003: Implementation of Directive 1999/92 / EC concerning the minimum requirements for improving the protection of the safety and health of workers exposed to the risk of explosive atmospheres

Legislative Decree 186/2011: Sanctioning discipline for the violation of the provisions of Regulation (EC) no. 1272/2008

Official Gazette 14 March 2016 n. 61 - Legislative Decree 15 February 2016, n. 39

Consolidated Act on Health and Safety at Work - Rev. June 2016

Regulation (EU) n. 528/2012 of the European Parliament and of the Council, of 22 May 2012, relating to the making available on the market and use of biocidal products

### 15.2. Chemical safety assessment

The supplier has not carried out evaluation of chemical safety.

## SECTION 16: Other information

**Legislation related to safety data sheets:**

This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) N° 1907/2006 (Regulation (EU) N° 2020/878)

**Modifications related to the previous security card which concerns the ways of managing risk:**

General revision of the sections of the SDS, update to Regulation no. 2020/878.

**Texts of the legislative phrases mentioned in section 2:**

H318 – Causes serious eye damage

**Texts of the legislative phrases mentioned in section 3:**

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

**CLP Regulation (EC) No 1272/2008:**

Acute Tox. 4: H302+H332 - Harmful if swallowed or if inhaled.

Eye Dam. 1: H318 - causes serious eye damage.

# SANIBIOS 12% Ag+

Ox. Liq. 1: H271 - May cause fire or explosion, strong oxidizer.

Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.

**Classification procedure:**

Eye Dam. 1: Calculation method

**Advice related to training:**

Minimal training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

**Principal bibliographical sources:**

<http://echa.europa.eu>

<http://eur-lex.europa.eu>

**Abbreviations and acronyms:**

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5-day biochemical oxygen demand

BCF: Bioconcentration factor

LD50: Lethal Dose 50

LC50: Lethal Concentration 50

EC50: Effective concentration 50

Log-POW: Octanol-water partition coefficient

Koc: Partition coefficient of organic carbon

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified